

FULL PRODUCT RANGE



MANITOU



Model	Capacity	Lift Height	Forward Reach	Engine	Horsepower
-------	----------	-------------	---------------	--------	------------

VERTICAL MASTED	SEMI-INDUSTRIAL VERTICAL MASTED FORKLIFTS					
	MH 25-4T	5,000 lb.	to 15' 7"	n/a	Kubota Turbo Diesel	59 HP
	MSI 30D	6,000 lb.	to 15' 5"	n/a	Kubota Turbo Diesel	59 HP
	MSI 30LPG	6,000 lb.	to 15' 5"	n/a	Toyota LPG	53 HP
	ROUGH TERRAIN VERTICAL MASTED FORKLIFTS					
	M 30-2	6,000 lb.	to 22'	n/a	Perkins or Caterpillar Turbo Diesel	94 HP
	M 30-4	6,000 lb.	to 22'	n/a	Perkins or Caterpillar Turbo Diesel	94 HP
	M 40-2	8,000 lb.	to 22'	n/a	Perkins or Caterpillar Turbo Diesel	94 HP
	M 40-4	8,000 lb.	to 22'	n/a	Perkins or Caterpillar Turbo Diesel	94 HP
	M 50-2	10,000 lb.	to 20' 2"	n/a	Perkins or Caterpillar Turbo Diesel	94 HP
M 50-4	10,000 lb.	to 20' 2"	n/a	Perkins or Caterpillar Turbo Diesel	94 HP	

TELESCOPIC HANDLERS	AGRICULTURAL TELESCOPIC HANDLERS					
	MLT 523 Turbo MU	5,000 lb.	16' 2"	9' 7"	Kubota Turbo Diesel	75 HP
	MLT 735 -120 LSU Turbo	7,500 lb.	22' 7"	12' 9"	Perkins Intercooled Turbo Diesel	123 HP
	MLT 940L-120 LSU Turbo	8,000 lb.	29' 6"	17' 11"	Perkins Intercooled Turbo Diesel	123 HP
	CONSTRUCTION AND MULTI-PURPOSE TELESCOPIC HANDLERS					
	MT 523	5,000 lb.	16' 2"	9' 7"	Perkins Diesel	58 HP
	MVT 628 Turbo	6,000 lb.	20' 8"	11' 7"	Perkins Turbo Diesel	101 HP
	MT 6034T	6,000 lb.	34' 3"	23' 3"	John Deere Turbo Diesel	99 HP
	MT 6642T / XT	6,600 lb.	42'	28' 3"	John Deere Turbo Diesel	99 or 115 HP
	MT 8044XT	8,000 lb.	44'	29' 7"	John Deere Turbo Diesel	115 HP
MHT 860	13,200 lb.	26' 6"	15' 10"	Perkins Turbo Diesel	144 HP	
MHT 10120	26,400 lb.	31' 6"	17' 6"	Mercedes Turbo Diesel	175 HP	
MHT 10160	36,000 lb.	31' 10"	18'	Mercedes Turbo Diesel	175 HP	
MHT 10210	46,000 lb.	31' 9"	19'	Mercedes Turbo Diesel	175 HP	
ROTATING TELESCOPIC HANDLERS						
MRT 2540	8,800 lb.	80' 10"	61'	Mercedes Turbo Diesel	150 HP	
MRT 2150	10,000 lb.	67' 11"	59' 8"	Mercedes Turbo Diesel	150 HP	

TRUCK MOUNTED	TELESCOPIC TRUCK MOUNTED FORKLIFTS					
	TMT 45	4,500 lb.	10'	3' 4"	Kubota Diesel	25 HP
	TMT 55 (HT - XT)	5,500 lb.	10'	3' 8"	Perkins Diesel	52 HP
	TMT 55FL (HT - XT)	5,500 lb.	11' 4"	4' 10"	Perkins Diesel	52 HP
	TMT 55FL-4W (XT)	5,500 lb.	11' 3"	4' 10"	Perkins Diesel	52 HP
	VERTICAL MASTED TRUCK MOUNTED FORKLIFTS					
	TMV 55 (HT)	5,500 lb.	to 13'	n/a	Perkins Diesel	52 HP
	TMP 55	5,500 lb.	to 10' 4"	n/a	Perkins Diesel	52 HP

Visit our website at www.us.manitou.com



Transmission	# of Drive Wheels	Turning Radius	Length	Width	Height	Base Weight
--------------	-------------------	----------------	--------	-------	--------	-------------

Hydrostatic	4	119"	116"	57"	79"	9,560 lb.
Hydrostatic	2	96"	117"	59"	83"	8,460 lb.
Hydrostatic	2	96"	117"	59"	83"	8,260 lb.
Hydrostatic or Torque Converter	2	9' 9"	12' 2"	7' 4"	77", 81", 100"	11,210 lb.
Hydrostatic or Torque Converter	4	9' 9"	12' 2"	7' 4"	77", 81", 100"	11,710 lb.
Hydrostatic or Torque Converter	2	9' 9"	12' 7"	7' 4"	77", 81", 100"	13,995 lb.
Hydrostatic or Torque Converter	4	9' 9"	12' 7"	7' 4"	77", 81", 100"	14,495 lb.
Hydrostatic or Torque Converter	2	9' 9"	12' 9"	7' 4"	77", 81", 100"	15,855 lb.
Hydrostatic or Torque Converter	4	9' 9"	12' 9"	7' 4"	77", 81", 100"	16,355 lb.
Hydrostatic	4	10' 2"	13' 10"	5' 11"	6' 7"	10,737 lb.
Torque Converter	4	12' 8"	15' 9"	7' 8"	7' 7"	14,640 lb.
Torque Converter	4	13' 1"	18' 7"	7' 9"	8' 4"	18,960 lb.
Hydrostatic	4	10' 2"	13' 10"	5' 11"	6' 7"	10,417 lb.
Hydrostatic	4	12' 9"	14' 6"	6' 6"	6' 6"	12,300 lb.
Powershift	4	12' 6"	16'	7' 10"	7' 10"	15,100 lb.
Powershift	4	13' 8"	19' 1"	8' 3"	7' 11"	22,000 lb.
Powershift	4	13' 8"	19' 1"	8' 3"	7' 11"	23,500 lb.
Hydrostatic	4	12' 5"	17' 7"	7' 11"	9' 7"	25,500 lb.
Hydrostatic	4	14' 10"	19' 6"	7' 11"	9' 6"	35,055 lb.
Hydrostatic	4	18' 7"	21' 8"	8' 2"	9' 7"	49,165 lb.
Hydrostatic	4	19' 10"	22' 6"	8' 9"	9' 9"	59,282 lb.
Hydrostatic	4	14' 9"	25' 8"	8'	10"	37,850 lb.
Hydrostatic	4	14' 9"	22' 2"	8'	9' 11"	36,700 lb.
Hydrostatic	3	107"	100"	96"	85"	4,200 lb.
Hydrostatic	3	108"	106"	95" (102")	89"	5,335 lb. (5,415 lb.)
Hydrostatic	3	108"	112"	95" (102")	89"	5,505 lb. (5,600 lb.)
Hydrostatic	3	103"	112"	96"	85"	6,000 lb. (6,355 lb.)
Hydrostatic	3	99"	104"	93" (102")	87"	5,600 lb. (5,600 lb.)
Hydrostatic	3	112"	108"	93"	75"	6,600 lb.

more information on our entire product line.

MANITOU NORTH AMERICA, INC.

WACO, TEXAS

For over 50 years MANITOU has been manufacturing equipment for the material handling industry. Based in Texas, MANITOU NORTH AMERICA manufactures and distributes vertical mast forklifts, MANISCOPIC telescopic handlers, MANITRANSIT truck mounted forklifts, and masts to dealers and OEM customers throughout North America.



MANITOU B.F.

World's Largest Manufacturer of Rough Terrain Lift Trucks

As a pioneer of rough terrain forklifts MANITOU has always responded to market trends by designing truck ranges adapted to the specific needs of each industry. For each customer application there is a corresponding MANITOU forklift truck.

Currently there are more than 270,000 MANITOU rough terrain forklifts operating daily in more than 120 countries proving their efficiency and reliability. This world wide presence is backed up by a MANITOU dealer network staffed with trained mechanics and sales specialists to help you with your material handling requirements.



Dealer:



MANITOU NORTH AMERICA, INC. - P.O. Box 21386 - Waco, TX 76702-1386
Tel: 800-433-3304 - Fax: 254-799-4433 - www.us.manitou.com