



BUILDING A NETWORK OF **PROFESSIONAL**
EQUIPMENT **SOLUTION** PROVIDERS



Công ty TNHH House of Equipment Vietnam
House of Equipment Vietnam

HOE



Building a network of professional equipment solution providers

WELCOME TO HOUSE OF EQUIPMENT

We hope that the information presented will leave a positive impression with you of our company and the broad range we offer in the markets that we serve.

In order to serve our customers better, we are investing in our employees, internal process, tools and business system. We are continuously strengthening our existing core competencies as well as investing the development of new capabilities to meet the increasing requirements of our customers.

Waiel Manfalouti
CEO


- Introduction 5
- Our Profile 6
 - Our Strength
 - Mission
 - Vision
 - Our Philosophy
 - Products And Customer Support
 - Our Values And Guiding Principles
- House Of Equipment Product Line 8
 - Yongmao Tower Cranes
 - Flat Top Main Tower Cranes
 - Luffing Main Tower Crane
 - Topkit Main Tower Crane
 - Orbit Hoists
 - Boomtech Placing Boom
 - dDieci Material Handlers
 - dDieci Product Line & Technical Features
 - Hercules Material Handlers
 - Truck Mixers
 - Site Dumpers
 - Locatelli Cranes
 - Rough Terrain Cranes
 - City Cranes
- Spare Parts 17

INDEX





HOE



INTRODUCTION

House of Equipment LLC (HOE) was established in United Arab Emirates in 2004. "HOE" is an innovative and dynamic rapidly growing company specialized in managing, trading and servicing of construction equipment and spare parts.

As a dealer of **Yongmao**, **Locatelli**, **Boomtech**, **Orbit**, **Dieci** and other world's leading manufacturers of construction equipment, HOE has established an operational base in Dubai to serve the Middle East, Algeria to serve North Africa and Vietnam to serve Asia.





OUR PROFILE

HOE offers a wide range of construction equipment and construction services. The company teams maintain a strong foundation of trust and mutual respect generated through positive relationships with clients, contractors engineers, sub-contractors, and suppliers. A company-wide policy encouraging shared performance responsibility ensures the highest degree of professional services and results on all projects undertaken.

We at HOE are proud of our commitment to high quality, reliability, and punctuality. Our contacts , expertise, and know-how allows us to establish an economy of scale that may not be achieved by the largest companies in the world. We are at your service round the clock.

OUR STRENGTH

- Ability to meet our client's expectations on win-win basis
- Vast experience in our business field
- Diversified range of services to meet the needs of our target market and client
- Strong, dedicated and professional engineers and staff to care for our customers
- Accepting challenge as a motive for innovative solutions
- Performing on the basis of considering customer problems exactly as our problems



VISION

To Achieve the highest level of recognition as “Professional Equipment Provider” all over the Middle East, North Africa and Asia.

MISSION

To provide quality products & professional services to our customers through years of experience gained in PMV management and related services. We strive to be “Your trusted & Reliable Construction Equipment Supplier & Service Provider”.



OUR PHILOSOPHY


- To approach our responsibilities with ambition and resourcefulness
- To organize ourselves for a transparent and harmonious workflow
- To respect sound theory and encourage creative thinking
- To provide competitive pricing with quality service meeting and customer satisfaction
- To make a workplace a source of pride

OUR VALUES AND GUIDING PRINCIPLES

Every human endeavor must be guided, shaped and supported by basic underlying values. These values are the foundation of every decision and action we take. At HOE family, we believe that everyone should have the freedom and ability to make independent decisions about how to treat customers, their fellow workers, vendors and our community in the "HOE Mentality". They also define the characteristics of the individuals who will be both satisfied and successful being part of the HOE Family. Our Values include:

- No compromise on quality of whatever reason
- No compromise on environmental health and safety for whatever reason
- Customer satisfaction is at the top of our priorities
- Respect for people and beliefs
- Respect of local and international regulations
- Continuous learning and improvement
- Dedication and hard work ethics
- Teamwork
- Personal accountability
- Integrity of workflow and men-related





HOUSE OF EQUIPMENT VIETNAM PRODUCT LINE

YONGMAO YONGMAO TOWER CRANES

YONGMAO Tower Cranes are manufactured by North China by the highly reputed company Fushun Yongmao Ltd. The ISO Certified factory produces CE attested Tower Cranes that have been in numerous construction projects all over the world. Yongmao promised to provide all its global users participating in substructure construction and resources development with worthy machineries and professional after-sale services, to help them obtain higher economic benefits and better business performances. The product is described by our customers as “high quality”, “high safety” and “economical”.

Flat Top Main Tower Crane Models Include But Not Limited To The Following:

Model	Arm Length	Lifting Weight
STT5330	70	260
STT3330	90	160
STT2630	80	120
STT2200	78	100
STT2200	78	80
STT1330	80	64
STT753	80	40
STT553B	80	25
STT553	80	24
STT403B	80	24
STT403	80	24
STT373	75	20
STT293	74	18
STT253	65	16
STT200	70	12
STT153	65	8
STT139	60	6
STT133	55	6
STT113	55	6





Luffing Main Tower Crane Models Include But Not Limited To The Following:

Model	Arm Length	Lifting Weight
STL 2400C	100	80
STL1860C	100	70
STL1460C	64	70
STL1400	50	71
STL1000C	50	60
STL1000	60	50
STL720	60	50
STL660C	60	32
STL660	60	32
STL460C	60	32
STL420A	60	25
STL420	60	24
STL260	60	18
STL230	55	18
STL180	55	10
STL120	45	8

Topkit Main Tower Crane Models Include But Not Limited To The Following:

Model	Arm Length	Lifting Weight
ST8000	80	200
ST80/238	80	64
ST80/75	80	50
ST455	80	25
ST75/32	75	16
ST70/32	70	16
ST60/23	60	10
ST60/15	60	10
ST56/13	56	8
ST65/13	65	8



ORBIT HOIST **ORBIT**

All ORBIT products are CE certified and can be found on the biggest construction sites around the globe. ORBIT manufactures hoists that are used to carry passengers and materials at high levels. Recognized as a reference in the sector, the ORBIT product range is adapted to all types of construction projects, whether small or large ones, such as : High rise buildings, bridges, power plants or shipyards.



Engineered with all the requisite safety features insuring the construction's reliability and safety

ORBIT SC D.O.L. General Hoist

Single Cage Model:
SC100, SC120, SC150 & SC200

Twin Cage Model:
SC100/100, SC120/120, SC150/150 & SC200/200

ORBIT SC V.F.C. Frequency Convertible Hoist

Single Cage Model:
SC120G, SC150G & SC200G

Twin Cage Model:
SC120G/120G, SC150G/150G, SC200G/200G
& SC270G/270G



BOOMTECH CONCRETE PLACING BOOM *boomTech*

Boomtech is a high-tech enterprise that engages in research, development, manufacturing, sale and service of construction machinery. Boomtech is strengthened with experienced professionals in the construction industry. Boomtech products are manufactured using the best international components and techniques. Full process material pre-treatment and complete set of fine machining equipment ensures the quality of boomtech products.



HGY Series Boomtech Concrete Placing Booms

Inner hydraulic oil tank renders a compact structure and free swivel. It gives big convenience for installation, dismounting and maintenance, which ensure longer service life and excellent performance.

Original Germany Rexroth oil pump and valves group increase reliability of placing boom.

The key components of electrical system are from world famous brand as Japanese Omron and French Schneider, which ensure safety and stability.



dDIECI MATERIAL HANDLERS **DIECI**

- Total manageability equipment
- Ideal for handling small/medium loads in confined spaces

dDieci construction equipment for the building industry, present over 40 years in the market is managed by group of entrepreneurs who are successfully active in a number of branches of industry. DIECI's significant know-how finds natural expression in the field of construction, a field in which DIECI occupies overall role of the utmost importance and taken as a reference point for the whole sector. Every equipment manufactured by DIECI benefits, in fact, from this wealth of knowledge and synergy and economy are placed at the service of the end users.

dDIECI Product Line & Technical Features

Straight Tele Handler*

Type	Model	Engine	Max Power		Max. Capacity (Kg)	Max. Lifting Height (M)	Total Weight (empty-Kg)
			(KW)	(HP)			
Zeus	35.10	IVECO-NEF	60	082	3500	9.75	07600
	35.10	IVECO-NEF	60	082	3800	9.75	07800
Runner	35.12	IVECO-NEF	60	082	3500	12.1	10100
	37.13	IVECO-NEF	60	082	3700	12.4	10100
	40.13	IVECO-NEF	60	082	4000	12.4	10100
Icarus	4014	IVECO-NEF	74	102	4000	13.4	10600
	30.16	IVECO-NEF	74	102	3000	15.4	11080
	40.17	IVECO-NEF	74	102	4000	16.9	12000
Samson	40.11	IVECO-NEF	60	082	4000	11.0	09900

*Available attachments: forks, shovels, baskets, and hooks



dDIECI Product Line & Technical Features

Rotary Tele Handler

Type	Model	Engine	Max Power		Max. Capacity (Kg)	Max. Lifting Height (M)	Total Weight (empty-Kg)
			(KW)	(HP)			
Pegasus	70.11	PERKINS	106	144	7000	11	16000
	38.16	PERKINS	106	144	3800	15.5	14700
	60.16	PERKINS	106	144	6000	15.7	16600
	40.17	PERKINS	106	144	4000	16.8	15000
	50.21	PERKINS	106	144	5000	20.5	17200
	40.25	PERKINS	106	144	4000	24.5	17500

Hercules Material Handlers

Specifications	Models		
	120.10	160.10	210.10
Engine (Kw)	Perkins 1104D ETA 105	Perkins 1106D ETA 146	Perkins 1106D ETA 146
Max. capacity (Kg)	12,000	16,000	21,000
Capacity at max height on tires (Kg)	7,000	11,000	14,500
Capacity at max boom extension on tires (Kg)	3,000	5,000	7,000
Max lifting height on tires (m)	9.40	10.20	10.20
Max. horizontal boom extension (m)	4.90	5.15	5.10
Boom extension at max. height (m)	0.60	0.30	0.20
Fork tilting angle (degree)	120	120	120
Max allowable slope with load (%)	39.00	35.00	35.00
Tires (inch)	25 x 17	25 x 18	25 x 23.5
Total Weight (empty) (Kg)	16.70	23.70	27.40
Max. speed (Km/hr)	28.00	25.00	25.00
Dimensions (mm)	6170 x 2400 x 2870	6590 x 2500 x 2890	6700 x 2715 x 2925





dDIECI Product Line & Technical Features

Truck Mixers

Type	Model	Engine	Max Power		Max. Capacity (Kg)	Max. Lifting Height (M)	Total Weight (empty-Kg)
			(KW)	(HP)			
Truck	AB L 3500	IVECO-NEF	60	82	Std.	Std.	3500
Mixer	AB L 4700	IVECO-NEF	74	101	Std.	Std.	4700
	AB F 7000	IVECO-NEF	94	128	No	Std.	7000

Site Dumpers

Type	Model	Engine	Max Power		Max. Capacity (Kg)	Max. Lifting Height (M)	Total Weight (empty-Kg)
			(KW)	(HP)			
Site Dumper	DP 1000 T	LOMBARDINI	15	20.4	Std.	No	2500
	DP 1000 F	LOMBARDINI	15	20.4	No	No	2500
	DP 1000 PA	LOMBARDINI	15	20.4	No	Std.	2500
	DP 1500 F	LOMBARDINI	31	42	No	No	3700
	DP 4200	LOMBARDINI	74	101	No	No	8500





LOCATELLI CRANE

Locatelli Cranes S.r.l is the first Italian company manufacturer of Telescopic Hydraulic cranes and specialized in the production of rough terrain cranes, ranging from 12.5 through 60 metric ton capacity as well as city cranes 20 ton and 40 ton capacity, with a great choice of options for different applications.

The Locatelli cranes are planned, constructed and tested in respect to the constructive parameters all over the world, always using the most advanced technologies. The success of Locatelli crane is based in there reliability, high performance level and low maintenance cost as a result of high quality components, no compromise in construction and long experience of specialized manufacturing.



Rough Terrain Cranes

Model	Model load (T)	Max boom length	Max lifting heights	Max Speed
GRIL 8300 T	30	8, 1-25, 5	35, 1/35, 5/42, 7	37
GRIL 8400 T	35	29.5	40,3	37
GRIL 8500 T	45	32	34.5	37
GRIL 8600 T	60	10.1-32.3	52	37

City Crane

360° unrestricted visibility to the load, short, or long boom, four-wheel drive and four – wheel steer and high lifting capacities. Ideal for erection jobs, general construction, pipe-lines and electrification. Also popular for load handlings in ports, yards and for industrial applications. Several models with great choice of options for different applications.

Model	Model load (T)	Max boom length	Max lifting heights	Max Speed
ATC 20	20	8, 1-25, 5	23.8	>70
ATC 40	40	35	40,3	>70

Concentrated crane technology combining the compact size, off the road maneuverability and pick and carry capacity of RT-cranes with the comfortable and high-speed readability of truck cranes. No front overhang while traveling on road and 360 unrestricted visibility to the load when working. Four wheel drive, four-wheel steer and lockable hydro gas suspensions. Ideal for rental companies, construction companies and public works.



SPARE PARTS

All kinds of Spare Parts are also available for Tower Cranes and Hoists



SPARE PARTS

All kinds of Spare Parts are also available for Tower Cranes and Hoists





Mobile Crane




Dieci Material Handlers



boomTech



YONGMAO





ORBIT



LOCATELLI
CRANE



YONGMAO



DIECI



*boom***tech**



Công ty TNHH House of Equipment Vietnam
House of Equipment Vietnam

4th Floor, 9 Nguyen Huu Canh, Ward 19, Binh Tanh District,
Ho Chi Minh City, Vietnam.

E-mail: info@hoevnm.com
www.hoevnm.com